

# roll covers for the paper converting industry

➔ Decor paper upgrading, self-adhesive material,  
folding and enveloping machines

Machine position	Compound	Hardness	Features
<b>Transfer rolls</b>	6By73 Rubber	65 ShA	<ul style="list-style-type: none"> <li>• excellent abrasion resistance</li> <li>• resistant to ester, ketone and ozone</li> <li>• cover color: green</li> </ul>
<b>Impression rolls</b>	8P46 Rubber	80 ShA	<ul style="list-style-type: none"> <li>• excellent abrasion resistance</li> <li>• excellent resistance to oil, grease and fuels</li> <li>• cover color: red</li> </ul>
<b>Silicone applicator rolls</b>	7N1 Rubber	70 ShA	<ul style="list-style-type: none"> <li>• excellent abrasion resistance</li> <li>• excellent resistance to ozone</li> <li>• high swelling resistance to silicone</li> <li>• homogeneous surface</li> <li>• cover color: beige</li> </ul>
<b>Removable rolls</b>	1N4/2P5 Rubber, dual layer	25 ShA (top layer)	<ul style="list-style-type: none"> <li>• dual layer cover with optimised dampening properties</li> <li>• excellent abrasion resistance</li> <li>• excellent resistance to oil, grease and fuels</li> <li>• cover color: red</li> </ul>
<b>Laminator rolls</b>	8By1 Rubber	80 ShA	<ul style="list-style-type: none"> <li>• highly suitable for laminating self-adhesive materials and siliconised paper</li> <li>• excellent abrasion resistance</li> <li>• resistant to ester, ketone and ozone</li> <li>• cover color: grey</li> </ul>
<b>Path rolls</b>	8P3 Rubber	80 ShA	<ul style="list-style-type: none"> <li>• material for indirect food contact</li> <li>• excellent abrasion resistance</li> <li>• excellent resistance to oil, grease and fuels</li> <li>• cover color: beige</li> </ul>
	U65 Polyurethane	65 ShA	<ul style="list-style-type: none"> <li>• excellent abrasion resistance</li> <li>• excellent resistance to oil, grease and fuels</li> <li>• highly resistant to ozone</li> <li>• cover color: white</li> </ul>
	7K2 Rubber	70 ShA	<ul style="list-style-type: none"> <li>• excellent abrasion resistance</li> <li>• high elasticity and friction coefficient</li> <li>• cover color: black</li> </ul>

These overviews are supposed to give a general idea of what we provide. Different hardness rates are available on application. Surface design/finish, elasticity and functional properties can be designed to any special requirements.